

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Eco-09NXD0-I	AG2Eco-12NXD0-I	AG2Eco-18NXD0-I	AG2Eco-24NXD0-I
Model: Outdoor		AG2Eco-09N8D0-O	AG2Eco-12N8D0-O	AG2Eco-18N8D0-O	AG2Eco-24N8D0-O
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Line-09NXD0-I	AG2Line-12NXD0-I	AG2Line-18NXD0-I	AG2Line-24NXD0-I
Model: Outdoor		AG2Line-09N8D0-O	AG2Line-12N8D0-O	AG2Line-18N8D0-O	AG2Line-24N8D0-O
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.



## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Dura-09NXD0-I	AG2Dura-12NXD0-I	AG2Dura-18NXD0-I	AG2Dura-24NXD0-I
Model: Outdoor		AG2Dura-09N8D0-O	AG2Dura-12N8D0-O	AG2Dura-18N8D0-O	AG2Dura-24N8D0-O
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Pro-09NXD0-I	AG2Pro-12NXD0-I	AG2Pro-18NXD0-I	AG2Pro-24NXD0-I
Model: Outdoor		AG2Pro-09N8D0-O	AG2Pro-12N8D0-O	AG2Pro-18N8D0-O	AG2Pro-24N8D0-O
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Eco-09NXD0-I(A)	AG2Eco-12NXD0-I(A)	AG2Eco-18NXD0-I(A)	AG2Eco-24NXD0-I(A)
Model: Outdoor		AG2Eco-09N8D0-O(A)	AG2Eco-12N8D0-O(A)	AG2Eco-18N8D0-O(A)	AG2Eco-24N8D0-O(A)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Line-09NXD0-I(A)	AG2Line-12NXD0-I(A)	AG2Line-18NXD0-I(A)	AG2Line-24NXD0-I(A)
Model: Outdoor		AG2Line-09N8D0-O(A)	AG2Line-12N8D0-O(A)	AG2Line-18N8D0-O(A)	AG2Line-24N8D0-O(A)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Dura-09NXD0-I(A)	AG2Dura-12NXD0-I(A)	AG2Dura-18NXD0-I(A)	AG2Dura-24NXD0-I(A)
Model: Outdoor		AG2Dura-09N8D0-O(A)	AG2Dura-12N8D0-O(A)	AG2Dura-18N8D0-O(A)	AG2Dura-24N8D0-O(A)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Pro-09NXD0-I(A)	AG2Pro-12NXD0-I(A)	AG2Pro-18NXD0-I(A)	AG2Pro-24NXD0-I(A)
Model: Outdoor		AG2Pro-09N8D0-O(A)	AG2Pro-12N8D0-O(A)	AG2Pro-18N8D0-O(A)	AG2Pro-24N8D0-O(A)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Eco-09NXD0-I(R)	AG2Eco-12NXD0-I(R)	AG2Eco-18NXD0-I(R)	AG2Eco-24NXD0-I(R)
Model: Outdoor		AG2Eco-09N8D0-O(R)	AG2Eco-12N8D0-O(R)	AG2Eco-18N8D0-O(R)	AG2Eco-24N8D0-O(R)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Line-09NXD0-I(R)	AG2Line-12NXD0-I(R)	AG2Line-18NXD0-I(R)	AG2Line-24NXD0-I(R)
Model: Outdoor		AG2Line-09N8D0-O(R)	AG2Line-12N8D0-O(R)	AG2Line-18N8D0-O(R)	AG2Line-24N8D0-O(R)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.



## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Dura-09NXD0-I(R)	AG2Dura-12NXD0-I(R)	AG2Dura-18NXD0-I(R)	AG2Dura-24NXD0-I(R)
Model: Outdoor		AG2Dura-09N8D0-O(R)	AG2Dura-12N8D0-O(R)	AG2Dura-18N8D0-O(R)	AG2Dura-24N8D0-O(R)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Pro-09NXD0-I(R)	AG2Pro-12NXD0-I(R)	AG2Pro-18NXD0-I(R)	AG2Pro-24NXD0-I(R)
Model: Outdoor		AG2Pro-09N8D0-O(R)	AG2Pro-12N8D0-O(R)	AG2Pro-18N8D0-O(R)	AG2Pro-24N8D0-O(R)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Eco-09NXD0-I(U)	AG2Eco-12NXD0-I(U)	AG2Eco-18NXD0-I(U)	AG2Eco-24NXD0-I(U)
Model: Outdoor		AG2Eco-09N8D0-O(U)	AG2Eco-12N8D0-O(U)	AG2Eco-18N8D0-O(U)	AG2Eco-24N8D0-O(U)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Line-09NXD0-I(U)	AG2Line-12NXD0-I(U)	AG2Line-18NXD0-I(U)	AG2Line-24NXD0-I(U)
Model: Outdoor		AG2Line-09N8D0-O(U)	AG2Line-12N8D0-O(U)	AG2Line-18N8D0-O(U)	AG2Line-24N8D0-O(U)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Dura-09NXD0-I(U)	AG2Dura-12NXD0-I(U)	AG2Dura-18NXD0-I(U)	AG2Dura-24NXD0-I(U)
Model: Outdoor		AG2Dura-09N8D0-O(U)	AG2Dura-12N8D0-O(U)	AG2Dura-18N8D0-O(U)	AG2Dura-24N8D0-O(U)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

## OWNER'S MANUAL - PRODUCT FICHE

RELATED OWNER'S MANUAL CODE: CS445UI-18C(AG)(C)

Trade Mark		MIDEA			
Model: Indoor		AG2Pro-09NXD0-I(U)	AG2Pro-12NXD0-I(U)	AG2Pro-18NXD0-I(U)	AG2Pro-24NXD0-I(U)
Model: Outdoor		AG2Pro-09N8D0-O(U)	AG2Pro-12N8D0-O(U)	AG2Pro-18N8D0-O(U)	AG2Pro-24N8D0-O(U)
Sound power level at standard rating conditions (Indoor/Outdoor)	[dB(A)]	54/62	56/63	56/65	62/67
Refrigerant type		R32	R32	R32	R32
GWP		675	675	675	675
Charge amount	[g]	600	650	1100	1450
CO2 equivalent	[tonnes]	0.41	0.44	0.74	0.978
SEER	[W/W]	7.4	7.0	7.0	6.4
Energy efficiency class in cooling		A++	A++	A++	A++
Annual electricity consumption in cooling [1]	[kWh/a]	132	182	265	383
Design load in cooling mode (Pdesign)	[kW]	2.8	3.6	5.3	7.0
SCOP (average heating season)	[W/W]	4.1	4.2	4.0	4.0
Energy efficiency class in heating (average season)		A+	A+	A+	A+
Annual electricity consumption in heating (average season) [2]	[kWh/a]	854	833	1470	1715
Warmer heating season		Y	Y	Y	Y
Colder heating season		—	—	—	—
Design load in heating mode (Pdesign)	[kW]	2.5	2.5	4.2	4.9
Declared capacity at reference design condition (heating average season)	[kW]	2.333	2.003	3.107	3.998
Back up heating capacity at reference design condition (heating average season)	[kW]	0.167	0.497	1.093	0.902

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [ 675 ]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [ 675 ] times higher than 1kg of CO<sub>2</sub>, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional

Contains fluorinated greenhouse gases.

Importer: FG EUROPE SA 128, VOULIAGMENIS AVE 16674 GLYFADA, GREECE

Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.